

# WATER WELL REPORT STATE OF WASHINGTON

Start Card No. 076372  
Water Right Permit No.

3012E101EF

(1) OWNER: Name MEGORDON, HERB Address 5621 CAMERON FREELAND, WA 98249-  
(2) LOCATION OF WELL: County ISLAND - SE 1/4 NW 1/4 Sec 21 T 30 N. R 2E WM  
(2a) STREET ADDRESS OF WELL (or nearest address) HWY. 525

(3) PROPOSED USE: MUNICIPAL

(10) WELL LOG

(4) TYPE OF WORK: Owner's Number of well 3  
(If more than one)  
Method: ROTARY  
NEW WELL

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change in formation.

(5) DIMENSIONS: Diameter of well 6 inches  
Drilled 141 ft. Depth of completed well 138 ft.

(6) CONSTRUCTION DETAILS:  
Casing installed: 6 " Dia. from +2 ft. to 133 ft.  
WELDED " Dia. from ft. to ft.  
" Dia. from ft. to ft.

MATERIAL	FROM	TO
BROWN GRAVEL & SAND & CLAY	0	2
GRAY GRAVEL & SAND & CLAY	2	74
BROWN CLAY & SAND & GRAVEL	74	85
BROWN CLAY & SAND	85	97
BROWN SAND & SILT - SEEPAGE	97	100
BROWN CLAY & SAND	100	110
BROWN LAYERED CLAY	110	111
& SAND - SEEPAGE	110	111
BROWN SAND & SILT & CLAY	111	123
GRAY SAND & WATER	123	139
GRAY CLAY	139	

Perforations: NO

Type of perforator used  
SIZE of perforations in. by in.  
perforations from ft. to ft.  
perforations from ft. to ft.  
perforations from ft. to ft.

Screens: YES

Manufacturer's Name JOHNSON  
Type STAINLESS STEEL Model No. NO  
Diam. 3 slot size 15 from 133 ft. to 138 ft.  
Diam. slot size from ft. to ft.

Gravel packed: YES Size of gravel 10-20  
Gravel placed from 128 ft. to 138 ft.

Surface seal: YES To what depth? 18 ft.  
Material used in seal BENTONITE  
Did any strata contain unusable water? NO  
Type of water? Depth of strata ft.  
Method of sealing strata off

(7) PUMP: Manufacturer's Name  
Type H.P.

(8) WATER LEVELS: Land-surface elevation  
above mean sea level ... ft.  
Static level 98.5 ft. below top of well Date 09/10/91  
Artesian Pressure lbs. per square inch Date  
Artesian water controlled by

Work started 09/09/91 Completed 09/10/91

(9) WELL TESTS: Drawdown is amount water level is lowered below static level.  
Was a pump test made? NO If yes, by whom?  
Yield: gal./min with ft. drawdown after hrs.

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Recovery data

Time	Water Level	Time	Water Level	Time	Water Level
------	-------------	------	-------------	------	-------------

NAME HAYES DRILLING, INC.

(Person, firm, or corporation) (Type or print)

ADDRESS 556 EASHIG RD. BOW, WA

[SIGNED] Steve Lutter License No. 762

Date of test / /  
Bailer test 20 gal./min. 17 ft. drawdown after 1 hrs.  
Air test gal./min. w/ stem set at ft. for hrs.  
Artesian flow g.p.m. Date  
Temperature of water Was a chemical analysis made? NO

Contractor's  
Registration No. HAYESDI106J5 Date 09/13/91

WELL SITE MEETS ALL SIGHTING CRITERIA UNDER I.C.C. 8.09 BASED ON  
INFORMATION SUPPLIED BY THE OWNER OR OWNER'S AUTHORIZED REPRESENTATIVE.



# Well Tagging Form

Unique Well Tag No: APH 280

## RECORD VERIFICATION (check ☒ one)



Well Report available (please attach this form to the well report and submit it to the Ecology Regional Office near you).

If a well report is not available, please complete a "Water Well Report for an Existing Well" form. This form is available at Ecology's headquarters office. **Do not use this form for wells that do not have a Water Well Report.**

## WELL OWNERSHIP, IF DIFFERENT FROM WELL REPORT

First Name: Clover Ridge Water System Last Name: System  
 Street Address: PO Box 121  
 City: Greenbank State: WA 98253

## LOCATION OF WELL, IF DIFFERENT FROM WELL REPORT

Well Address: Parcel R23021-338-0700; Highway 525 and Clover Ridge Drive  
 City: Greenbank County: Island  
 T. 30 N. R. 2 E W.M. Sec. 21 SW  $\frac{1}{4}$  of the NW  
 Latitude 48 4.489419  
 Longitude 122 36.20148  
 Elevation at land surface 392 feet/meters (circle one)

SEE BACK SIDE OF PAGE...

RECEIVED  
 MAY 09 2008  
 DEPT. OF ECOLOGY

# WELL CHARACTERISTICS

Location of Well identification Tag:

Strapped to the well casing  
inside well house)

Scale 1:24,000 (1" = 2,000')

Indicate the location of the well within the Section by drawing a dot at that point

SECTION

21

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

COMMENTS:

## WATER WELL REPORT

State of Washington

IC Site ID: 8XX

Start Card: 076372

Water Right:

Unique Well ID

APH280

(1) OWNER: Name: Herb Megordon (Clover Ridge Water System)

Address: 5621 Cameron Freeland WA

(2) LOCATION OF WELL: Island: Whidbey

Township/Range-Section: 30N/02E-21E

Parcel Number: R23021-338-0700

(2a) Well Address Highway 525

PWS-ID: 01416X

Source: I

PWS-Name: Clover Ridge Water System

(3) PROPOSED USE: Domestic

(4) TYPE OF WORK: Owner's Well Number (if more than one): 1

New Well

Method: Rotary

(5) DIMENSIONS: Diameter of Well: 6 inches.

Drilled: 141 feet. Depth of Completed Well: 138 ft.

(6) CONSTRUCTION DETAILS:

Casing Installed: Diam. (in) from to (ft)  
6 -2 133

Screens: Type Zone Diam Slot from to (ft)  
Stainless Steel 1 3 0.15 133 138

Surface seal:  
Material: Bentonite To depth: 18 ft.

(7) PUMP:

Type:

Horsepower:

(8) WATER LEVELS: 7 Land-surface elevation (MSL): 392.4 ft.

AvgWL Elevation: 294 Calc'd Elev: 392 ft.

Earliest Level: 98.50 ft. below toc Date: 10-Sep-91

Lastest Level: 96.04 ft. below toc Date: 02-Oct-01 3:14:00 PM

Average Level: 98.50 ft. below toc Average Date: 25-Apr-00

(9) WELL TESTS:

Type	Yield	Drawdown	After	Date
Bailer	20 gpm	17 feet	1 hours	10-Sep-91

(10) WELL LOG DESCRIPTION:

Material	From BGS	From MSL	Thick
Brown gravel & sand & clay	0	392	2
Gray gravel & sand & clay	2	390	72
Brown clay & sand & gravel	74	318	11
Brown clay & sand	85	307	12
Brown sand & silt - seepage	97	295	3
Brown clay & sand	100	292	10
Brown layered clay/sand/seepage	110	282	1
Brown sand & silt & clay	111	281	12
Gray sand & water	123	269	16
Gray clay	139	253	2
TD	141	251	

Work Completed: 10-Sep-91

TD Elev: 254 ft. MSL

WELL CONSTRUCTOR CERTIFICATION:

Name: Hayes Drilling, Inc.

Address: 556 Ershig Road, Bow, WA 98232

Contractor's

Registration Number: HAVESD1106

Remarks: Well log states this is owner's well number 3. TRS changed from 30N/02E-21F after Parcel Check., 2514.

Location Source:	North: 396923	Latitd: 48 4.489419
DGPS	East: 1575770	Longit: 122 34.20148

Max CL: 14

Generated by the Island County

Max NO3: 0.25

Hydrogeologic Database: 07-May-08

Disclaimer: Data presented has been collected from a variety of sources.  
Island County makes no guarantee as to the validity or accuracy of this data.  
Please report any errors to the Island County Hydrogeologist